



Europäisches Patentamt

European Patent Office

Office européen des brevets



Publication number : **0 603 845 A1**

(12)

EUROPEAN PATENT APPLICATION

(21) Application number : **93120661.9**

(22) Date of filing : **22.12.93**

(51) Int. Cl.⁵ : **A01N 43/653,**

// (A01N43/653, 43:653,
47:38, 55:00, 37:32, 47:20,
47:34, 47:18, 43:52, 43:78,
47:20)

(30) Priority : **25.12.92 JP 358928/92**

(43) Date of publication of application :
29.06.94 Bulletin 94/26

(84) Designated Contracting States :
DE FR GB


(71) Applicant : **KUREHA CHEMICAL INDUSTRY
CO., LTD.
9-11, Horidome-cho, 1-chome
Nihonbashi
Chuo-ku Tokyo 103 (JP)**

(72) Inventor : **Tateishi, Hideaki
Meijidanchi 30-9
Iwaki-shi, Fukushima-ken (JP)
Inventor : Watanabe, Takeo
78-31, Hananoi,
Nishiki-machi
Iwaki-shi, Fukushima-ken (JP)
Inventor : Saishoji, Toshihide
154-1, Harada, Nishiki-machi
Iwaki-shi, Fukushima-ken (JP)**

(74) Representative : **Boeters, Hans Dietrich, Dr. et
al
Patentanwälte Boeters Bauer Koepe
Bereiteranger 15
D-81541 München (DE)**

(54) **Fungicide composition for agriculture and horticulture.**

(57) A fungicidal composition for agriculture and horticulture use is disclosed. The composition comprises as effective components, at least one derivative of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide represented by the following formula (I),



wherein R¹ is a C₁-C₆ alkyl group, a C₃-C₆ cycloalkyl group, a C₁-C₅ fluoroalkyl group, a (C₁-C₄ alkoxy)methyl group or a phenyl group, R² is a C₁-C₈ alkyl group, a (C₃-C₆ cycloalkyl)methyl group or a C₂-C₅ fluoroalkyl group, X¹ represents a hydrogen atom, a C₁-C₄ alkyl group, a C₁-C₄ alkoxy group or a halogen atom, X², Y¹ and Y² independently represents a hydrogen atom, a C₁-C₄ alkyl group or a halogen atom, Y³ is a hydrogen atom or a halogen atom, and n denotes 1 or 2, and

at least one fungicidal compound selected from the group consisting of ergosterol biosynthesis-inhibitive type compounds, carboximide compounds, benzimidazole compounds and carbamate compounds.

EP 0 603 845 A1

Jouve, 18, rue Saint-Denis, 75001 PARIS

BACKGROUND OF THE INVENTIONField of the Invention

The present invention relates to a fungicide composition for agriculture and horticulture, and, more particularly, to a fungicide composition for agriculture and horticulture comprising at least one derivative of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide and at least one fungicide compound selected from the group consisting of ergosterol biosynthesis-inhibitive type fungicide compounds, carboximide fungicide compounds, benzimidazole fungicide compounds and carbamate fungicide compounds, as effective components.

Description of Background Art

Effectiveness of derivatives of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide as a herbicidal agent is known by EP-A-282 303, EP-A-282 669 and EP-A-220 956. EP-A-0 552 558 describes that a derivative of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide can be used as an effective component of fungicidal agents.

Among various diseases of plants, those induced by external causes and very difficult to prevent, such as gray mold disease, require a great amount of drugs for the prevention. The use of a great amount of drugs tends to produce drug-resistant fungi. Impaired effects of drugs due to the drug-resistant fungi are a worldwide problem.

Development of a fungicidal composition for agriculture and horticulture use which surely exhibits a certain effect at a small amount has been desired.


The object of the present invention is therefore to provide a fungicidal composition for agriculture and horticulture use which surely exhibits a certain effect at a small amount.

As a result of extensive studied, the present inventors found that the use of at least one derivative of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide represented by the following formula (I) in combination with at least one fungicidal compound selected from the group consisting of ergosterol biosynthesis-inhibitive type fungicidal compounds, carboximide fungicidal compounds, benzimidazole fungicidal compounds and carbamate fungicidal compounds exhibits a superior synergistic effect. This finding has led to the completion of the present invention.

SUMMARY OF THE INVENTION

The above object is solved according to the present invention by a fungicidal composition for agriculture and horticulture use, which comprises as effective components,

at least one derivative of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide represented by the following formula (I),



wherein R¹ is a C₁-C₆ alkyl group, a C₃-C₆ cycloalkyl group, a C₁-C₅ fluoroalkyl group, a (C₁-C₄ alkoxy)methyl group or a phenyl group, R² is a C₁-C₈ alkyl group, a (C₃-C₆ cycloalkyl)methyl group, a C₂-C₅ fluoroalkyl group, a (C₁-C₄ alkoxy)(C₁-C₄ alkyl) group, a phenyl group, a phenylmethyl group or a phenylmethyl group substituted by a C₁-C₄ alkyl group or a halogen atom, X¹ represents a hydrogen atom, a C₁-C₄ alkyl group, a C₁-C₄ alkoxy group or a halogen atom, X² represents a hydrogen atom, a C₁-C₄ alkyl group or a halogen atom, Y¹ is a hydrogen atom, a halogen atom, a C₁-C₄ alkyl group, a C₁-C₄ alkoxy group, a C₁-C₄ fluoroalkoxy group, a HO group, a HOOC group or a (C₁-C₄ alkoxy)carbonyl group, Y² is a hydrogen atom, a C₁-C₄ alkyl group or a halogen atom, Y³ is a hydrogen atom or a halogen atom, and n denotes 1 or 2, and

at least one fungicidal compound selected from the group consisting of ergosterol biosynthesis-inhibitive type fungicidal compounds, carboximide fungicidal compounds, benzimidazole fungicidal compounds and carbamate fungicidal compounds.

Other objects, features and advantages of the invention will hereinafter become more readily apparent from the following description.

DETAILED DESCRIPTION OF THE INVENTION AND PREFERRED EMBODIMENTS

Carboxamide derivatives represented by the above formula (I) used in the present invention are compounds described in EP-A-0 552 558.

In the descriptions below the derivatives of 1,5-diphenyl-1H-1,2,4-triazole-3-carboxamide of formula (I) are collectively referred to as "group A compounds", and the ergosterol biosynthesis-inhibitive type fungicidal compounds, carboximide fungicidal compounds, benzimidazole fungicidal compounds and carbamate fungicidal compounds which are used in combination with group A compounds are collectively referred to as "group B compounds".

Given as specific examples of group A compounds are compounds listed in Table 1. Physicochemical characteristics of these compounds are given in Table 2.

.ls1

5

TABLE 1

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-1	cyclopropyl	H	H
	n-C ₄ H ₉	H	H
A-2	cyclopentyl	H	H
	n-C ₄ H ₉	H	H
A-3	t-C ₄ H ₉	H	2-F
	n-C ₄ H ₉	H	H
A-4	t-C ₄ H ₉	H	H
	n-C ₄ H ₉	H	H
A-5	t-C ₄ H ₉	H	H
	PhCH ₂	H	H
A-6	n-C ₃ F ₇	6-CH ₃	H
	n-C ₄ H ₉	H	H
A-7	C ₂ F ₅	H	H
	n-C ₄ H ₉	H	H
A-8	CF ₃	H	H
	n-C ₄ H ₉	H	H
A-9	n-C ₄ H ₉	H	H
	n-C ₄ H ₉	H	H
A-10	n-C ₃ H ₇	H	H
	n-C ₄ H ₉	H	H

50

55

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-11	C ₂ H ₅ n-C ₄ H ₉	6-CH ₃ H	2-F 3-F H
A-12	C ₂ H ₅ n-C ₄ H ₉	6-CH ₃ H	2-F H H
A-13	C ₂ H ₅ n-C ₄ H ₉	6-CH ₃ H	2-F 5-F H
A-14	C ₂ H ₅ n-C ₄ H ₉	H H	H H H
A-15	C ₂ H ₅ n-C ₄ H ₉	6-CH ₃ H	H H H
A-16	C ₂ H ₅ n-C ₃ H ₇	H H	H H H
A-17	C ₂ H ₅ i-C ₄ H ₉	H H	H H H
A-18	i-C ₄ H ₉ n-C ₄ H ₉	H H	H H H
A-19	CH ₃ OCH ₂ n-C ₄ H ₉	6-CH ₃ H	H H H
A-20	CH ₃ (n-C ₃ F ₇)CH ₂	H H	H H H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-21	CH ₃ n-C ₆ H ₁₃	H H	H H H
A-22	CH ₃ n-C ₅ H ₁₁	H H	H H H
A-23	CH ₃ n-C ₄ H ₉	H H	2-F H H
A-24	CH ₃ n-C ₄ H ₉	6-Cl H	3-F 5-F H
A-25	CH ₃ n-C ₄ H ₉	6-Cl H	2-F H H
A-26	CH ₃ n-C ₄ H ₉	6-Cl H	2-F 3-F 5, 6-F ₂
A-27	CH ₃ n-C ₄ H ₉	6-Cl H	2-F 3-F H
A-28	CH ₃ n-C ₄ H ₉	6-Cl H	2-F 5-F H
A-29	CH ₃ n-C ₄ H ₉	6-Cl H	H H H
A-30	CH ₃ n-C ₄ H ₉	4-C ₂ H ₅ O H	H H H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-31	CH ₃ n-C ₄ H ₉	4-CH ₃ H	H H H
A-32	CH ₃ n-C ₄ H ₉	4-Cl H	H H H
A-33	CH ₃ n-C ₄ H ₉	6-CH ₃ O H	H H H
A-34	CH ₃ n-C ₄ H ₉	6-Cl H	H H H
A-35	CH ₃ n-C ₄ H ₉	6-CH ₃ H	H H H
A-36	CH ₃ n-C ₄ H ₉	H H	H H H
A-37	CH ₃ n-C ₃ H ₇	H H	H H H
A-38	CH ₃ i-C ₅ H ₁₁	H H	H H H
A-39	CH ₃ CH ₃	4-Cl H	H H H
A-40	CH ₃ CH ₃	H H	H H H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-41	s-C ₄ H ₉ n-C ₄ H ₉	H H	H H H
A-42	i-C ₃ H ₇ (cyclohexyl)CH ₂	H H	H H H
A-43	i-C ₃ H ₇ n-C ₅ H ₁₁	H H	2-F H H
A-44	i-C ₃ H ₇ n-C ₅ H ₁₁	H H	H H H
A-45	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-CH ₃ H H
A-46	i-C ₃ H ₇ n-C ₄ H ₉	H H	3-CH ₃ H H
A-47	i-C ₃ H ₇ n-C ₄ H ₉	H H	4-CH ₃ H H
A-48	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	2-COOCH ₃ H H
A-49	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	2-COOH H H
A-50	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-Cl H H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-51	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-Cl 6-F H
A-52	i-C ₃ H ₇ n-C ₄ H ₉	H H	4-Cl H H
A-53	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	2-F H H
A-54	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	2-F 3-F H
A-55	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-F 4-F H
A-56	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-F 6-F H
A-57	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-F 3-F H
A-58	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-F H H
A-59	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	2-F 5-F H
A-60	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-F 5-F H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-61	i-C ₃ H ₇ n-C ₄ H ₉	H H	3-F H H
A-62	i-C ₃ H ₇ n-C ₄ H ₉	H H	3-F 4-F H
A-63	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	3-F 5-F H
A-64	i-C ₃ H ₇ n-C ₄ H ₉	H H	4-F H H
A-65	i-C ₃ H ₇ n-C ₄ H ₉	H H	H H H
A-66	i-C ₃ H ₇ n-C ₄ H ₉	6-C ₂ H ₅ H	H H H
A-67	i-C ₃ H ₇ n-C ₄ H ₉	6-CH ₃ H	H H H
A-68	i-C ₃ H ₇ n-C ₄ H ₉	6-i-C ₃ H ₇ H	H H H
A-69	i-C ₃ H ₇ n-C ₄ H ₉	6-Cl H	H H H
A-70	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-CF ₃ O H H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-71	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-C ₂ H ₅ O H H
A-72	i-C ₃ H ₇ n-C ₄ H ₉	H H	2-CH ₃ O H H
A-73	i-C ₃ H ₇ n-C ₄ H ₉	H H	3-CH ₃ O H H
A-74	i-C ₃ H ₇ n-C ₄ H ₉	H H	4-CH ₃ O H H
A-75	i-C ₃ H ₇ n-C ₃ H ₇	H H	H H H
A-76	i-C ₃ H ₇ i-C ₅ H ₁₁	H H	H H H
A-77	i-C ₃ H ₇ C ₂ H ₅ OC ₂ H ₄	H H	H H H
A-78	i-C ₃ H ₇ C ₂ H ₅	H H	H H H
A-79	i-C ₃ H ₇ PhCH ₂	H H	2-F H H
A-80	i-C ₃ H ₇ PhCH ₂	H H	2-F 3-F H

TABLE 1 (Continued)

Compound No.	Substituents		
	R ¹ R ²	X ¹ X ²	Y ¹ Y ² Y ³ _n
A-81	i-C ₃ H ₇ PhCH ₂	H H	2-F 5-F H
A-82	i-C ₃ H ₇ PhCH ₂	H H	H H H
A-83	i-C ₃ H ₇ PhCH ₂	H H	2-HO H H
A-84	i-C ₃ H ₇ (2-CH ₃ -Ph)CH ₂	H H	H H H
A-85	i-C ₃ H ₇ (4-Cl-Ph)CH ₂	H H	H H H
A-86	i-C ₃ H ₇ Ph	H H	H H H
A-87	Ph n-C ₄ H ₉	H H	H H H